



**MASTER<sup>®</sup>**

**SUPER GLUE**

MADE IN USA

**ALL PURPOSE**

*Bonds in seconds to:  
metal, vinyl, rubber,  
aluminum, plastics,  
wood, cork, leather,  
and much more.*

**STRONG** **DRIES FAST**

**DANGER:** Bonds skin and eyes instantly. Eye and skin irritant. Read carefully precautions on back prior to use. Net. Wt. .07 OZ. (2g) Part# SG2

Part# SG2

**QUICKER & STRONGER.**  
Sets in seconds.

An improved cyanoacrylate adhesive that effectively bonds most surfaces, including: metal, vinyl, aluminum, rubber, most plastics, wood, cardboard, cork, paper, leather and much more.

**INSTRUCTIONS:**

1. Unscrew nozzle with cap on it.
2. Point tube away from face.
3. Pierce metal tube with point on outer cap.  
**DO NOT SQUEEZE TUBE WHILE PUNCTURING.**  
After puncture is made, replace nozzle on tube.
4. Use sparingly (only 1 drop per square inch) on 1 surface only. Press parts together for 15 seconds.
5. Clean tip and replace cap.

Do not use for reattaching rear view mirror to windshield. Use Master's Rear View mirror adhesive. Not recommended for bonding glass or for polyethylene or polypropylene.

**DANGER:** Contains Cyanoacrylate. Bonds skin and eyes in seconds. Skin contact through clothing may cause burns. May cause allergic skin reaction. Vapors irritating to eyes, nose and throat.


**KEEP OUT OF REACH OF CHILDREN**

**PRECAUTIONS FOR USE:** Avoid contact with skin and eyes. In case of eye contact, flush with water for 15 minutes; call a physician. For skin contact, wash with water. For ingestion, do not induce vomiting; call a physician. If spilled on clothing, immediately flush with large quantities of water. Do not remove bonded clothing; contact a physician.

**MADE IN U.S.A.**  
REORDER PART # SG2

**MASTER<sup>®</sup>**

MASTER CORPORATION • MEMPHIS, TN 38118



**SUPER GLUE**

**CARD**

**PROJECT SPECS**

Description:  
Revision #: 0  
Project:  
Date: 05102016  
File:  
Part #:  
Corner Radius: 0.25"  
Material: Blister Card Stock  
UV Varnish: Solvent based coating for heat seal  
Thickness: 21 mils  
Bleed: All sides

**ADDITIONAL INFORMATION**

See original customer artwork attached

**FONTS**

Fonts: Outlined (OL)

**COLORS**

Inks:

C 25% 50% 75% 100%  
M 25% 50% 75% 100%  
Y 25% 50% 75% 100%  
K 25% 50% 75% 100%

**DIE CUT**

Does NOT Print

**SIZE**

3.8125" W x 6.5" H

**ARTIST**

William Sagoe



- **Brush On Cap\***
- **Bonds in Seconds**

**Instant Setting High Strength Super Glue**

**Great For:**

- Auto Accessories
- Rubber
- Plastic
- Vinyl
- Leather
- Cloth
- Rear View Mirror Repair

\* Great for tight spaces!

**No Drip  
No Mess**



Made in U.S.A.

Exported to reverse

**Net Wt. 0.2 Oz. (6 g)**



**About SuperWeld™**

SuperWeld™ is a specially formulated cyanoacrylate SuperGlue that provides a strong, instant bond in just seconds. It works on multiple and hard-to-reach surfaces. The brush applicator allows for even one pin-point surface application.

**Applications & Uses**

- Ceramics • Plastic • Leather
- Carpets • Fiberglass • Metal
- Glass • Metal • Cloth
- Nylon • Metal • Fabric
- Rubber • Wood
- Stone • Fiberglass

**INSTRUCTIONS**

- 1 Clean by removing all debris and liquid from surface.
- 2 Uncap and draw brush from container.
- 3 Apply SuperWeld™ to the desired surface with the brush applicator. Avoid hands, body, skin or eye contact.

**INSTRUCCIONES**

- 1 Limpie para quitar suciedad y líquido de la superficie.
- 2 Desvrosque la tapa y saque el pincel del recipiente.
- 3 Aplique SuperWeld™ a la superficie deseada con el pincel aplicador. Evite contacto con sus manos, cuerpo, piel y ojos.

**WARNING: BONDS SKIN IN SECONDS, MAY CAUSE EYE AND RESPIRATORY TRACT IRRITATION.**

Do not get on skin or in eyes. Avoid inhalation.

**KEEP OUT OF REACH OF CHILDREN.**

**CONTAINS: ETHYL 2 CYANOACRYLATE**

**FIRST AID:** If on skin, wash skin with soap and water. If allergic reaction occurs, seek medical care. If eye contact occurs, flush with water for 10-15 minutes; seek medical help.

**WARNING:** This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. If swallowed, get prompt medical attention.

**ADVERTENCIA: PEDA LA PIEL EN SEGUNDOS. PUEDE CAUSAR LOS OJOS Y LAS VIAS RESPIRATORIAS.**

Evite el contacto con su piel o con los ojos. Evite la inhalación.

**MANTENGA FUERA DEL ALCANCE DE LOS NIÑOS.**

**CONTIENE: ETHYL 2 CYANOACRYLATE**

**PRIMEROS AUXILIOS:** Contacto con la piel, lavar la piel con agua y jabón. Si la reacción alérgica, busque atención médica. En caso de contacto con los ojos, enjuague con agua durante 10-15 minutos; vaya al médico. En caso de ingestión, busque atención médica inmediata.

**ADVERTENCIA:** Este producto contiene químicos que el estado de California reconoce como: causantes de cáncer, defectos de nacimiento y otros daños al sistema reproductivo.



JB Weld Company  
PO Box 433  
Vallejo, CA 94590

For more information call us:  
Telephone / Teléfono: 909-680-7261  
www.jbweld.com

Made in USA  
Fabricado en E.U.A.  
Product No.  
33106

**CARD**

**PROJECT SPECS**

**Description:** JB Weld 33106 SuperWeld Card  
**Revision #:** 0  
**Project:** JB Weld 33106 SuperWeld Card 6g  
**Date:** 11/4/2014  
**File:** 1-040-654-0011\_33106 SuperWeld Card 6g.eps  
**Part #:** 1-040-654-0011  
**Corner Radius:** Radius  
**Material:** Blister Card Stock  
**UV Varnish:** Solvent based coating for heat seal  
**Thickness:** 21 point  
**Bleed:** All sides


**ADDITIONAL INFORMATION**

**FONTS**

Fonts: Outlined (OL)

**COLORS**

Inks: **CMYK**



**DIE CUT**

Does NOT Print

**SIZE**

2.75" W x 7.875" H

**ARTIST**

William Sagos

# ***STICK FAST***<sup>TM</sup>

## **INSTANT CA ADHESIVE**

### **MADE IN USA**

# ***EXTRA THICK***

**For use on a wide variety of surfaces**  
**Apply small amount for best results**  
**Activator for an even faster cure**  
**Debonder for clean up**  
**Warning: Read back label**  
**Net Weight: 1 oz (28 grams)**



61340  
BGD102

BROADWAY  
NAILS

# Pink Gel

## Nail Glue<sup>TM</sup><sub>MC</sub>

Great for Artificial Nails  
Merveilleux pour le collage d'ongle  
Bestens für Kunstnägel geeignet



Pipette Tool for  
Precise Application

Pipette Outil pour  
une Application  
Précise

Pipette Werkzeug  
für Präzise  
Anwendung

NFT WT 2.70.02 (g) per tube

OBELIS S.A Bd. Général Wakis, 53,  
1030 Brussels, Belgium  
+32(0)2 7325954

C

PANTONE® BLACK C

**EN WARNING:** CYANOACRYLATE. DANGER. BONDS SKIN AND EYES IN SECONDS. KEEP OUT OF THE REACH OF CHILDREN. Causes skin irritation. Causes eye irritation. May cause respiratory irritation. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. IF ON SKIN: Wash with plenty of soap and water then gently peel apart. Seek medical attention. Avoid breathing vapours. Use only as directed. Use only in a well-ventilated area. Do not use if nail or surrounding skin is damaged or inflamed.

**FR ATTENTION:** CYANOACRYLATE. DANGER. COLLE À LA PEAU ET LES YEUX EN QUELQUES SECONDES. CONSERVEZ HORS DE PORTEE DES ENFANTS. Provoque une irritation de la peau. Provoque une irritation des yeux. Peut irriter les voies respiratoires. EN CAS DE CONTACT AVEC LES YEUX : Rincez soigneusement sous l'eau pendant plusieurs minutes. Retirez vos lentilles de contact le cas échéant et si cela est réalisable aisément. EN CAS DE CONTACT AVEC LA PEAU : Rincez abondamment à l'eau et au savon, puis décoller délicatement. Consultez un médecin. Évitez de respirer les vapeurs. Utilisez seulement selon les directives. Utilisez dans un endroit bien aéré seulement. Ne pas utiliser si un ongle ou la peau environnante est endommagée ou enflammée. Jetez la colle non utilisée après utilisation. Le récipient de la colle n'a pas de sécurité enfant une fois ouvert.

**DE ACHTUNG:** CYANACRYLAT. GEFAHR. KLEBT HAUT UND AUGEN IN SEKUNDENSCHNELLE ZUSAMMEN. DARF NICHT IN DIE HÄNDE VON KINDERN GELANGEN. Führt zu Hautreizungen. Führt zu Reizungen der Augen. Kann zu Reizungen der Atemwege führen. BEI AUGENKONTAKT: Gründlich einige Minuten lang mit Wasser spülen. Entfernen Sie Kontaktlinsen, falls Sie welche tragen und diese sich leicht entfernen lassen. BEI HAUTKONTAKT: Mit viel Seife und Wasser spülen und Hautteile sanft voneinander lösen. Suchen Sie einen Arzt auf. Dämpfe nicht einatmen. Nur nach Anleitung verwenden. Nur in gut belüfteten Räumen verwenden. Nicht verwenden, wenn Nagel oder umgebende Haut beschädigt oder entzündet sind. Unverwendeten Klebstoff nach Gebrauch entsorgen. Einmal geöffnet, ist der Klebstoff-Behälter nicht mehr kindersicher.

**NL WAARSCHUWING:** CYANOACRYLAAT. GEVAAR. KLEEFT BINNEN ENKELE SECONDEN AAN HUID EN OGEN VAST. BUITEN HET BEREIK VAN KINDEREN BEWAREN. Veroorzaakt huidirritatie. Veroorzaakt oogirritatie. Kan irritatie van de luchtwegen veroorzaken. BIJ CONTACT MET DE OGEN: Voorzichtig spoelen met water gedurende enkele minuten. Eventuele contactlenzen verwijderen, indien dit gemakkelijk kan gebeuren. BIJ CONTACT MET DE HUID: Wassen met veel water en zeep, daarna voorzichtig uit elkaar trekken. Medische hulp inroepen. Inademen van dampen vermijden. Alleen gebruiken zoals aangegeven. Uitsluitend op goed geventileerde plaatsen gebruiken. Niet gebruiken als de nagel of omliggende huid beschadigd of ontstoken is. Ongebruikte lijm weggooien na gebruik. Lijmverpakking is niet kindveilig na openen.

**ES ADVERTENCIA:** CIANOACRILATO. PELIGRO. SE PEGA A LA PIEL Y A LOS OJOS EN SEGUNDOS. MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS. Provoca irritación en la piel. Provoca irritación en los ojos. Puede provocar irritación al sistema respiratorio. SI ENTRA EN CONTACTO CON LOS OJOS: Con cuidado, enjuague con agua por varios minutos. Si usa lentes de contacto y puede retirárselos fácilmente, hágalo. SI ENTRA EN CONTACTO CON LA PIEL: Lave utilizando abundante agua y jabón y despegue suavemente. Busque atención médica. Evite respirar los vapores. Utilice únicamente como se indica. Utilice solamente en un área bien ventilada. No utilice si la uña o la piel que la rodea está lastimada o inflamada. Deseche el pegamento que no utilizó después de usarlo. El contenedor de pegamento una vez abierto, no es a prueba de niños.

**INGREDIENTS/INGRÉDIENTS/INHALTSSTOFFE/INGREDIËNTEN/INGREDI**

**ENTES:** Ethyl Cyanoacrylate, Polymethyl Methacrylate, BHA,

Tetrahydrofuran, Sulfur Dioxide, Red 7 (CI 15850:1) - Made in USA

Fabriqué aux É.-U./Hergestellt in USA/Gefabriceerd in USA/Hecho en USA.

Manufactured for/Fabriqué pour

© 2017 Kiss Products, Inc.

Port Washington, NY 11050

All Rights Reserved./Tous Droits Réservés

KISSusa.com



6M



800102102/C

PANTONE® 186 C

**SAATI**

201 Fairview St. Extension  
Fountain Inn, SC 29644  
Tel: 800-431-2200  
Fax: 864-862-0089  
Hours: Monday - Friday 8:30am - 5:00pm  
EST  
www.saati.com  
Email: info.us@saati.com

24-hour Emergency Telephone @  
Infotrac in US): 1-800-535-5053  
International: +1-352-323-3500

Trademark of The SAATI Group  
FOR INDUSTRIAL USE ONLY

**FIRST AID**

**EYES:** Flush with water, seek medical attention.

**SKIN:** Soak in warm soapy water.

**INGESTION:** Ingestion not likely due to polymerization.

**INHALATION:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**SPILL RESPONSE**

Ventilate area of spill. Flood area with water to polymerize. Absorb with sand / earth and dispose in accordance with local, state, and federal regulations.

**STORAGE AND HANDLING**

Material should be stored at or below 22C. Avoid skin contact and inhalation of vapor.



**ULTRAFIX CA - MV**

1 Part Cyanoacrylate Spray- Activated Frame Adhesive

**DIRECTIONS FOR USE:** To obtain optimal adhesion, degrease the frame. Stretch the fabric over the frame providing good contact between the two. Squeeze a thin bead of adhesive onto fabric around the frame perimeter and spread evenly. Lightly spray the applied adhesive with Ultrafix CA Activator A (aerosol) or Ultrafix CA Activator P (pump style), which sets in less than 30 seconds. Release tension and remove the screen from the stretching system.

**FIRE RESPONSE**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Wear self contained breathing apparatus for fire fighting if necessary.



**WARNING**



SCAS03300LOZ16



7XXXXXXXXXX

**GHS CLASSIFICATIONS**

Skin Irritation, Category 3 Eye Irritation, Category 2A Flammable Liquids, Category 4

**HAZARD STATEMENTS**

**H227** : Combustible liquid. **H316** : Causes mild skin irritation. **H319** : Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS**

**P210** : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. **P280** : Wear protective gloves/protective clothing/eye protection/face protection. **P264**: Wash skin thoroughly after handling. **P370+P378**: In case of fire: Use water spray, alcohol resistant foam, dry chemical or carbon dioxide to extinguish. **P332+P313** : If skin irritation occurs: Get medical advice/attention. **P305+P351+P338** : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **P337+P313** : If eye irritation persists: Get medical advice/attention. **P403** : Store in a well-ventilated place. **P501**: Dispose of contents/container in accordance to federal/state/local regulations.

16 OZ

MADE IN THE USA

02/26/2020

2.625"

**WARNING:** CYANOACRYLATE. DANGER. BONDS SKIN AND EYES IN SECONDS. KEEP OUT OF THE REACH OF CHILDREN. Causes skin and eye irritation. IF IN EYES: Rinse cautiously with water. Seek medical attention. Use only as directed. Wash skin if incidental contact occurs. Refer to outer packaging for full warnings.

**ATTENTION:** CYANOACRYLATE. DANGER. COLLE À LA PEAU ET LES YEUX EN QUELQUES SECONDES. CONSERVEZ HORS DE PORTÉE DES ENFANTS. Irrite la peau et les yeux. EN CAS DE CONTACT AVEC LES YEUX: Rincez soigneusement

Bring the Salon Home  
**KISS**®  
MD

maximum  
**SPEED**  
NAIL GLUE  
COLLE-KLEBSTOFF

NET WT 3 g (0.10 oz.)

sous l'eau. Consultez un médecin. Utiliser seulement selon les consignes. Rincez la peau en cas de contact accidentel. Consultez l'emballage extérieur pour les avertissements complets.

Made in USA/Fabriqué en É-U  
Manufactured for/Fabriqué pour  
©2016 Kiss Products, Inc.  
Port Washington, NY 11050  
OBELIS S.A. Bd. Général Wahis,  
53, 1030 Brussels, Belgium  
+32(0)2 7325954

**KISSusa.com**



GL309080

0.9