

()

Plaintiff, the Federal Trade Commission ("FTC"), for its Complaint alleges:

Trade Commission Act ("FTC Act"), 15 U.S.C. §§ 45(a)(1) and 53(b), to obtain a permanent injunction, rescission or reformation of contracts, restitution, the refund of monies paid, disgorgement of ill-gotten monies, and other equitable relief, against Defendants Lights of America, Inc., Usman Vakil, and Farooq Vakil (collectively "Defendants") for engaging in deceptive acts or practices in connection with the advertising and sale of lighting products, in or affecting commerce, in violation of Section 5(a) of the FTC Act, 15 U.S.C. § 45(a).

## **JURISDICTION AND VENUE**

- 2. This Court has subject matter jurisdiction pursuant to 28 U.S.C. §§ 1331, 1337(a), and 1345, and 15 U.S.C. §§ 45(a) and 53(b).
- 3. Venue is proper in this district under 28 U.S.C. § 1391(b)-(c), and 15 U.S.C. § 53(b).
- 4. At all times relevant to this Amended Complaint, the alleged acts and practices of Defendants have been in or affecting commerce, as "commerce" is defined in Section 4 of the FTC Act, 15 U.S.C. § 44.

#### **PLAINTIFF**

- 5. The FTC is an independent agency of the United States Government created by statute. 15 U.S.C. §§ 41-58. The FTC enforces Section 5(a) of the FTC Act, 15 U.S.C. § 45(a), which prohibits unfair or deceptive acts or practices in or affecting commerce.
- 6. The FTC is authorized to initiate federal district court proceedings, by its own attorneys, to enjoin violations of the FTC Act and to secure such equitable relief as may be appropriate in each case, including rescission or reformation of contracts, restitution, the refund of monies paid, and the

disgorgement of ill-gotten monies. 15 U.S.C. § 53(b).

б

#### **DEFENDANTS**

- Defendant Lights of America, Inc. ("LOA") is a California corporation
  with its principal place of business at 611 Reyes Drive, Walnut, CA 91789.
  LOA transacts or has transacted business in this district and throughout the
  United States.
- 8. Defendant Usman Vakil founded LOA in 1978 and has been a senior executive with the Company since that time. Currently, Usman Vakil is LOA's Chairman of the Board of Directors and President. Usman Vakil has a 51 percent ownership interest in LOA. Defendant Usman Vakil transacts or has transacted business in this district and throughout the United States.
- 9. Defendant Farooq Vakil has been a senior executive with LOA since at least 1993. Currently, Farooq Vakil is LOA's Secretary and Executive Vice President. Farooq Vakil has a 49 percent ownership interest in LOA. Defendant Farooq Vakil transacts or has transacted business in this district and throughout the United States.

### **DEFENDANTS' COURSE OF CONDUCT**

- 10. Since at least February 2008 and continuing thereafter, Defendants have advertised, marketed, promoted, distributed, offered for sale, or sold light emitting diode ("LED") lamps to retailers for sale to consumers. These LED lamps are screw light bulbs that can be used in households in place of incandescent bulbs. Properly manufactured LED lamps typically produce more light output (*i.e.*, lumens, a measure of brightness) with less wattage (*i.e.*, energy use) than traditional incandescent bulbs.
- 11. Defendants sold their LED lamps through retailers located throughout the United States and Canada, including Walmart, Sam's Club, ACE Hardware, Costco, Kroger, as well as through other retail businesses.

- Consumers also could purchase Defendants' LED lamps from the Internet websites of numerous retailers, such as Amazon.com, Sam's Club, and ACE Hardware through at least October 2010.

  Defendants advertised, marketed, promoted, distributed, offered for sale, of the content of t
- 12. Defendants advertised, marketed, promoted, distributed, offered for sale, or sold their LED lamps using claims: (1) comparing their LED lamps to incandescent watt bulbs; (2) identifying the light output in lumens of their LED lamps; and (3) stating that their LED lamps would last a specified number of hours.
- 13. From February 2008 through August 2009, Defendants sold at least in LED lamps making all or some of the claims described in Paragraph 12. Defendants continued to sell LED lamps after August 2009, making all or some of the claims described in Paragraph 12.
- 14. Defendants created, prepared, disseminated, or caused to be disseminated product packaging, product brochures, and other promotional materials that contained the claims identified in Paragraph 12, including, but not limited to, the attached Exhibits 1 to 3:
  - a. Lights of America Packaging (Exhibit 1)

REPLACES $m{40}$	uses only 1.5
WATTS	WATTS

Save \$112\*\*
In Energy Cost Per Bulb
90%
More Efficient
(Compared to incandescent
and halogen bulbs)
30,000 Hour Life
(Life Rating of LED's)

"You'll never change your bulbs again."\*\*\*

[The asterisks after "Save \$112" and "You'll never change your

б

bulbs again" refer consumers to text appearing on the back of the 1 package in very small print. 2 \*\*Based on the lifetime operating cost difference of a 40W bulb when compared to a 2.5W LED Bulb operated 4 hours per day 365 days per year at \$0.10 kwh over 30,000 hrs. 3 \*\*\*Statement based on the minimum # of times the led [sic] bulb needs to be changed. 5 b. Lights of America Packaging (Exhibit 2) 6 Light Output: 201 lumens Rated Life: 20,000 hours Energy Used: 3.5 Watts Color of Light: 5600K(Daylight) 7 8 9 [Graphic: picture of a large LED light bulb equal to ten small incandescent light bulbs arranged in a pyramid.] 10 LASTS 10 TIMES LONGER [graphic described above] 11 than 2,000 hour incandescent bulbs 12 c. Lights of America Product Brochure (Exhibit 3 at FTC00162) 13 **SPECIFICATIONS** Accent 14 Bulb 15 WATTAGE: 4W INCANDESCENT CAMPARISON [sic]: 45W 16 COLOR TEMP: 3500K BULB LIFE HOURS: 30,000 17 HEAT FREE TECHNOLOGY 18 INCANDESCENT WATT BULB COMPARISON 19 In numerous instances, Defendants represented that their LED lamps 15. 20 would provide light output equivalent to a particular watt incandescent 21 bulb. For example, Defendants claimed that their LED lamps use low 22 wattage and either replace or are comparable to higher watt incandescent 23 bulbs. 24 The claims described in Paragraph 15 appeared on product packaging for 16. 25 Defendants' LED lamps. Those representations included, but are not 26 limited to, the following claims for the models listed below: 27 Replaces 25 watts, uses only 1 watt a. 2001LED10-65K 28

1			Replaces 20 watts, uses only 1 watt
2		b. 2001LED53IN-65K	Replaces 25 watts, uses only 1 watt
3			Replaces 20 watts, uses only 1 watt
4		c. 2001LEDE53OUT-65K	Replaces 25 watts, uses only 1 watt
5			Replaces 20 watts, uses only 1 watt
. 6	**	d. 2001LEDE26-65K	Replaces 25 watts, uses only 1 watt
7			Replaces 20 watts, uses only 1 watt
8		e. 2002LEDP30-65K	Replaces 45 watts, uses only 3.5 watts
9		f. 2002LEDR30-65K	Replaces 45 watts, uses only 3.5 watts
10		g. 2003LEDP38-65K	Replaces 45 watts, uses only 5 watts
11		h. 2004LEDDL-35K	Replaces 45 watts, uses only 3.5 watts
12			Replaces 40 watts, uses only 4 watts
13		i. 2025LED-30K	Replaces 40 watts, uses only 1.5 watts
14		j. 2025LED-65K	Replaces 40 watts, uses only 1.5 watts
15		k. 2025LEDE12-30K	Replaces 40 watts, uses only 1.5 watts
16		1. 2025LEDE12-65K	Replaces 40 watts, uses only 1.5 watts
17		m. 2026LED-30K	Replaces 40 watts, uses only 1.5 watts
18		n. 2026LED-65K	Replaces 40 watts, uses only 1.5 watts
19	17.	The claims described in Paragra	aph 15 also appeared in product brochures
20		disseminated to retailers throug	shout the United States. Those
21		representations included, but ar	re not limited to, the following claims for
22		the models listed below:	
23		a. 2001LED10-65K	Wattage: 1W, Incandescent Camparison:
24			25W
25			Wattage: 1W, Incandescent Camparison:
26			20W
27		b. 2001LED53IN-65K	Wattage: 1W, Incandescent Camparison:
28			25W
į,	!		

	· ·	
1	•	Wattage: 1W, Incandescent Camparison:
2		20W
3	c. 2001LED53OUT-65K	Wattage: 1W, Incandescent Camparison:
4		25W
5		Wattage: 1W, Incandescent Camparison:
6		20W
7	d. 2001LEDE26-65K	Wattage: 1W, Incandescent Camparison:
8	•	25W
9		Wattage: 1W, Incandescent Camparison:
10		20W
11	e. 2002LEDP30-65K	Wattage: 3.5W, Incandescent Camparison:
12	·	45W
13	f. 2002LEDR30-65K	Wattage: 3.5W, Incandescent Camparison:
14		45W
15	g. 2003LEDP38-65K	Wattage: 5W, Incandescent Camparison:
16		45W
17	h, 2004LEDDL-35K	Wattage: 3.5W, Incandescent Camparison:
18		45W
19		Wattage: 4W, Incandescent Camparison:
20		45W
21	i. 2025LED-30K	Wattage: 1.5W, Incandescent Camparison:
22		40W
23	j. 2025LED-65K	Wattage: 1.5W, Incandescent Camparison:
24		40W
25	k. 2025LEDE12-30K	Wattage: 1.5W, Incandescent Camparison:
26		40W
27	I. 2025LEDE12-65K	Wattage: 1.5W, Incandescent Camparison:
28		40W
		,

m. 2026LED-30K Wattage: 1.5W, Incandescent Camparison: 40W

n. 2026LED-65K Wattage: 1.5W, Incandescent Camparison: 40W

- 18. In addition to the "incandescent camparison [sic]" claims described in Paragraph 17 above, Defendants' product brochures included pictures of product packaging that indicated that their LED lamp "replaces" a much higher wattage incandescent bulb and "uses only" a much lower wattage than that bulb.
- 19. A typical 20-watt incandescent bulb's light output is 150 lumens. A typical 25-watt incandescent bulb's light output is 200 lumens. A typical 40-watt incandescent bulb's light output is 450 lumens. A typical 45-watt incandescent bulb's light output is 510 lumens.
- 20. Defendants' own testing, as well as testing done by the Department of Energy, however, demonstrated that in numerous instances, Defendants' LED lamps produced significantly less light output than a typical incandescent light bulb at the wattage represented in Defendants' promotional materials.

# **Defendants' Testing Results**

- 21. Defendants began selling their LED lamps as early as February 2008, but did not procure any testing for many, if not all, models until December 2008. Defendants produced testing results from Lighting Sciences, Inc. ("LSI") for ten of the fourteen LED lamp models identified in Paragraphs 16-17 for which Defendants made watt equivalency claims. Defendants' testing for the ten LED models did not substantiate Defendants' watt equivalency claims. In fact, the LSI testing results contradicted Defendants' claims.
- 22. The lumen output identified in the LSI testing results are below the light

output for a typical incandescent watt bulb to which Defendants comp	ared
these models.	

3	<u>Model</u>	Watt	Typical	LSI
4		Equivalency	Light	Testing
5		<u>Claim</u>	<u>Output</u>	Results/Date
6			(in lumens)	(in lumens)
7	a. 2001LEDE26-65K	20/25 Watts	150/200	30.6
8	b. 2002LEDR30-65K	45 Watts	510	172
9	c. 2003LEDP38-65K	45 Watts	510	282
10	d. 2004LEDDL-35K	40/45 Watts	450/510	201/(3-26-2009)
11	e. 2025LED-30K	40 Watts	450	41/(12-17-2008)
12	f. 2025LED-65K	40 Watts	450	76/(12-17-2008)
13	g. 2025LEDE12-30K	40 Watts	450	76/(12-17-2008)
14	h. 2025LEDE12-65K	40 Watts	450	74/(12-17-2008)
15	i. 2026LED-30K	40 Watts	450	43/(12-17-2008)
16	j. 2026LED-65K	40 Watts	450	84/(12-17-2008)

- 23. LOA did not have any testing that measured the lumen output of the following LED lamps:
  - a. 2001LED10-65K

- b. 2001LED53IN-65K
- c. 2001LEDE53OUT-65K
- d. 2002LEDP30-65K

# **CALiPER Testing**

24. The Department of Energy ("DOE") conducted testing of several of Defendants' LED lamps through its Commercially Available LED Product Evaluation and Reporting Program ("CALiPER"), an independent testing program that evaluates the performance of LED lamps. DOE purchases LED lamps from retail stores, conducts tests, shares the results with the

2

3

4

5

6

7

23

24

25

26

27

28

manufacturers and invites them to comment, makes the reports available to
the public, and releases Summary Reports on its website. See
www1.eere.energy.gov/buildings/ssl/caliper_faq.html#01.

In August 2008 and in June 2009, DOE conducted CALiPER testing on six 25. of Defendants' LED lamp models. This testing showed that Defendants' LED lamps produced less light output than the incandescent watt bulbs to which Defendants' LED lamps were compared.

8	<u>Model</u>	Watt	Typical	CALiPER
9		Equivalency	Light	Testing/
10		<u>Claim</u>	<u>Output</u>	<u>Date</u>
11			(in lumens)	(in lumens)
12	a. 2001LED53OUT	20/25 Watts	150/200	26.8-29.9/
13	-65k			August 2008
14	b. 2003LEDP38-65K	45 Watts	510	122-177/
15				August 2008
16	c. 2004LEDDL-35K	45 Watts	510	140-143/August
17				2008
18	d. 2002LEDR30-65K	45 Watts	510	179-189/June
19			•	2009
20	e. 2003LEDP38-65K	45 Watts	510	268-302/June
21				2009
22	f. 2025LEDE12-30K	40 Watts	450	66-67/June 2009

- On September 18, 2008, DOE sent the testing results described in 26. Paragraph 25.a-c to Usman Vakil. On September 22, 2009, DOE sent the testing results described in Paragraph 25.d-f to Usman Vakil.
- In September 2008, DOE published the Summary Report for the August 27. 2008 testing round that included the testing of the Defendants' LED lamps. In October 2009, DOE published the Summary Report for the June 2009

- testing round that included testing of the Defendants' LED lamps. DOE distributed the September 2008 and October 2009 Summary Reports via a DOE email listserve that included LOA's Vice President of Sales and Marketing, Brian Halliwell, as well as other senior LOA employees.
- 28. In summarizing the results from the 2008 round of testing that included LOA LED products and other manufacturers' products, DOE explained that "[i]n almost every case where product literature compares an SSL [LED] product to traditional products, the comparisons are highly overstated and misleading." See U.S. Dep't of Energy, CALiPER Summary Report, DOE Solid-State Lighting CALiPER Progam, Summary of Results: Round 6 of Product Testing at 20 (Sept. 2008).
- 29. From February 2008 until at least August 2009, Defendants made watt equivalency claims, including but not limited to those identified in Paragraphs 16-17, in their promotional materials for most, if not all, LOA LED lamps. Defendants continued to make these claims even after receiving test results that contradicted their claims.
- 30. For at least ten months after receiving the 2008 CALiPER test results from DOE, Defendants made claims that their LED lamps used low wattage, but replaced significantly higher wattage incandescent bulbs, including but not limited to the claims identified in Paragraph 16, on most, if not all, of their product packaging.
- 31. As recently as December 8, 2010, models 2002LEDR30-65K, 2003LEDP38-65K, and 2025LEDE12-30K were being sold on the Internet at Amazon.com with incandescent bulb watt equivalency claims like those in Paragraphs 16-17. In October 2010, models 2003LEDP38-65K, 2004LEDDL, and 2026LEDE26-30K were being sold on the Internet at Sam's Club with incandescent bulb watt equivalency claims like those in Paragraphs 16-17.

32.	Defendants received consumer complaints about the light output of		
	numerous LOA LED lamp models. Those complaints included, but are not		
	limited to, complaints about the light output of the following models:		
	2002LEDR30-65K, 2003LEDP38-65K, 2004LEDDL, 2025LEDE12-30K,		
	and 2026LEDE26-30K. Each of these models had at least in		
	sales from February 2008 through August 2009. Each of these models		
	continued to be sold after August 2009.		

# LIGHT OUTPUT

33. In numerous instances, Defendants represented that their LED lamps provided a specific level of light output in lumens. Those representations appeared on product packaging and included, but are not limited to, the following claims for the models listed below:

a. 2025LED-30K	Light Output: 88 lumens
b. 2025LED-65K	Light Output: 113 lumens
c. 2025LEDE12-65K	Light Output: 113 lumens
d. 2026LED-30K	Light Output: 81 and 90 lumens
e. 2004LEDDL-35K	Light Output: 201 lumens
f. 2025LEDE12-30K	Light Output: 76 lumens and 90 lumen

- 34. In numerous instances, Defendants' LED lamps produced significantly less lumens than Defendants represented on their product packaging.
- 35. In numerous instances, the Defendants' own testing, from LSI, did not support Defendants' representations regarding their LED lamps' lumens.

23	<u>Model</u>	Lumen Claim	LSI Testing Results
24			(in lumens)
25	a. 2025LED-30K	86	41
26	b. 2025LED-65K	113	76
27	c. 2025LEDE12-65K	113	74
28	d. 2026LED-30K	81 and 90	43

1	36.	In August 2008 and in June 2009, DOE conducted CALiPER testing on		
2		several of Defendants' LED lamp models. This testing showed that		
3		Defendants' lumen output representations detailed in Paragraph 33.e-f were		
4		false and unsubstantiated.		
5		Model	<u>Lumen Claim</u>	CALiPER Testing
6				(in lumens)
7		a. 2004LEDDL-35K	201	140 and 143
8		b. 2025LEDE12-30K	76 and 90	66-67
9	37.	Defendants made lumen r	epresentations in t	heir promotional materials for
10		LED lamps from July 200	9 until at least Au	gust 2010.
11		LIFETIME CLAIMS		
12	38.	In numerous instances, Defendants represented that their LED lamps would		
13		last tens of thousands of hours, usually providing a specific number of		
14		hours.		
15	39.	These lifetime claims app	eared on product p	packaging for all LED models
16		Defendants sold between	February 2008 thi	ough August 2009 and for
17	i	numerous models sold aft	er August 2009. ′	The representations included,
18		but are not limited to, the	following claims	for the models listed below:
19		a. 2001LED53OUT-65K	30,000 Ho	our Life (Life rating of LED's);
20			"You'll ne	ver change your bulbs again."
21		b. 2001LEDE26-65K	30,000 Ho	our Life (Life rating of LED's);
22			"You'll ne	ever change your bulbs
23	!		again."**	<b>k</b>
24			Rated Life	e: 20,000 hours; LASTS 10
25			TIMES L	ONGER [graphic: picture of a
26			large LEL	light bulb equal to 10 small
27			incandesc	ent light bulbs] than 3,000 hour
28			incandesc	ent bulbs.

1	c. 2002LEDP30-65K	30,000 Hour Life (Life rating of LED's);
2		"You'll never change your bulbs again."
3	<b>\</b>	Rated Life: 20,000 hours; LASTS 10
4		TIMES LONGER [graphic: picture of a
5		large LED light bulb equal to 10 small
6		incandescent light bulbs] than 2,000 hr
7		incandescent bulbs.
8	d. 2002LEDR30-65K	30,000 Hour Life (Life rating of LED's);
9	·	"You'll never change your bulbs again."
10		30,000 Hour Life (Life rating of LED's);
11		LASTS 15 TIMES LONGER [graphic:
12		picture of a large LED light bulb equal to
13		15 small incandescent light bulbs] than
14		2,000 hour incandescent bulbs.
15	•	Rated Life: 20,000 hours; LASTS 10
16	·	TIMES LONGER [graphic: picture of a
17		large LED light bulb equal to 10 small
18		incandescent light bulbs] than 2,000 hr
19		incandescent bulbs.
20	e. 2003LEDP38-65K	30,000 Hour Life (Life rating of LED's);
21		"You'll never change your bulbs
22		again."***
23	`	LASTS 10 TIMES LONGER [graphic:
24		picture of a large LED light bulb equal to
25		10 small incandescent light bulbs] than
26		3,000 hour incandescent bulbs.
27		Rated Life: 20,000 hours; LASTS 10
28		TIMES LONGER [graphic: picture of a
		14

1		lauge I ED light half again to 10 amall
]		large LED light bulb equal to 10 small
2		incandescent light bulbs] than 2,000 hour
3		incandescent bulbs.
4	f. 2004LEDDL-35K	30,000 Hour Life (Life rating of LED's);
5	·	"You'll never change your bulbs
6		again."***
7		Rated Life: 30,000 Hours; LASTS 20
8		TIMES LONGER [graphic: picture of a
9		large LED light bulb equal to 20 small
10		incandescent light bulbs] than 1,500 hour
11		incandescent bulbs.
12	•	Rated Life: 20,000 hours; LASTS 10
13		TIMES LONGER [graphic: picture of a
14		large LED light bulb equal to 10 small
15		incandescent light bulbs] than 2,000 hour
16		incandescent bulbs
17	g. 2025LED-30K	30,000 Hour Life (Life rating of LED's);
18		"You'll never change your bulbs
19		again."***
20		Rated Life: 30,000 hours; LASTS 15
21		TIMES LONGER [graphic: picture of a
22		LED light bulb equal to 15 small
23		incandescent light bulbs] than 2,000 hour
24		incandescent bulbs.
25	h. 2025LED-65K	30,000 Hour Life (Life rating of LED's);
26	·	"You'll never change your bulbs
27		again."***
28		Rated Life: 30,000 hours; LASTS 15
		15

1		TIMES LONGER [graphic: picture of a
2		LED light bulb equal to 15 small
3	·	incandescent light bulbs] than 2,000 hour
4		incandescent bulbs.
5	i. 2025LEDE12-30K	30,000 Hour Life (Life rating of LED's);
6		"You'll never change your bulbs
7		again."***
8		Rated Life: 30,000 hours; LASTS 15
9		TIMES LONGER [graphic: picture of a
10		LED light bulb equal to 15 small
11		incandescent light bulbs] than 2,000 hour
12		incandescent bulbs.
13		Rated Life: 20,000 hours; LASTS 10
14		TIMES LONGER [graphic: picture of a
15		LED light bulb equal to 10 small
16		incandescent light bulbs] than 2,000 hour
17		incandescent bulbs.
18	j. 2025LEDE12-65K	30,000 Hour Life (Life rating of LED's);
19		"You'll never change your bulbs
20		again."***
21		Rated Life: 30,000 hours; LASTS 15
22		TIMES LONGER [graphic: picture of a
23		LED light bulb equal to 15 small
24		incandescent light bulbs] than 2,000 hour
25	·	incandescent bulbs.
26	k. 2025TLEDE12-30K	Rated Life: 20,000 hours; LASTS 10
27		TIMES LONGER [graphic: picture of a
28		LED light bulb equal to 10 small
		16

1		incandescent light bulbs] than 2,000 hour
2		incandescent bulbs.
3	1. 2026LED-30K	30,000 Hour Life (Life rating of LED's);
4		"You'll never change your bulbs
5		again."***
6	, ·	Rated Life: 30,000 hours; LASTS 15
7		TIMES LONGER [graphic: picture of a
8		LED light bulb equal to 15 small
9		incandescent light bulbs] than 2,000 hour
10	·	incandescent bulbs.
11	m. 2026LED-65K	30,000 Hour Life (Life rating of LED's);
12		"You'll never change your bulbs
13		again."***
14		Rated Life: 30,000 hours; LASTS 10
15	·	TIMES LONGER [graphic: picture of a
16		LED light bulb equal to 10 small
17		incandescent light bulbs] than 3,000 hour
18		incandescent bulbs.
19	n. 2035LED-30K	Rated Life: 20,000 hours; LASTS 10
20		TIMES LONGER [graphic: picture of a
21		LED light bulb equal to 10 small
22	·	incandescent light bulbs] than 2,000 hour
23		incandescent bulbs.
24	[The asteriks in the above quotations r	efer to the following sentence appearing
25	on the packaging.]	
26		***Statement based on the minimum # of
27	·	times the led [sic] bulb needs to be
28		changed.
		17

40. Representations regarding lifetime claims also appeared in Defendants' product brochures. These representations included, but are not limited to, the lifetime claims for the models listed below:
 a. 2001LED10-65K BULB LIFE HOURS: 30,000

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

b. 2001LED53IN-65K BULB LIFE HOURS: 30,000 c. 2001LED53OUT-65K BULB LIFE HOURS: 30,000 d. 2001LEDE26-65K BULB LIFE HOURS: 30,000 e. 2002LEDP30-65K BULB LIFE HOURS: 30,000 BULB LIFE HOURS: 30,000 f. 2002LEDR30-65K g. 2003LEDP38-65K BULB LIFE HOURS: 30,000 h. 2004LEDDL-35K BULB LIFE HOURS: 30,000 BULB LIFE HOURS: 30,000 i. 2025LED-30K BULB LIFE HOURS: 30,000 i. 2025LED-65K k. 2025LEDE12-30K BULB LIFE HOURS: 30,000

k. 2025LEDE12-30K BULB LIFE HOURS: 30,000

1. 2025LEDE12-65K BULB LIFE HOURS: 30,000

m. 2026LED-30K BULB LIFE HOURS: 30,000

41. Defendants did not test any of their individual LED lamp models to support their lifetime claims. At most, Defendants tested the diodes used in their LED lamps. The diode is the light emitting component of an LED

lamp. It is only one part of an integrated LED lamp and testing only the diode cannot substantiate lifetime claims. Defendants knew the importance of testing the integrated LED lamp itself. Defendants' product brochure explains that the "quality and efficiency of LED products still varies widely" because diodes are "sensitive to thermal and electrical

BULB LIFE HOURS: 30,000

varies widely" because diodes are "sensitive to thermal and electrical conditions" and they must be "carefully integrated into lighting fixtures."

See Exhibit 3 at FTC00158.

n. 2026LED-65K

42. In 2009, DOE's CALiPER program conducted testing to evaluate the

1.3

- lifetime claims for Defendants' models 2002LEDR30-65K, 2003LEDP38-65K, and 2025LEDE12-30K by testing six samples of each model. DOE sent these results to Usman Vakil on September 22, 2009.
- lamp light output decreases over time and LED lamp lifetime is defined by how long it provides an acceptable light output. LED lamp life is defined by the operating time for the LED lamp to reach two performance criteria, L70 and L50. Alliance for Solid-State Illumination Systems and Technologies ("ASSIST"), Lighting Research Center, Rensselaer Polytechnic Institute, *LED Life for General Lighting: Life Definition*, Vol. 1, Issue 1 at 4 (2005). In most cases, industry practice measures general lighting products LED lamp lifetime by calculating the number of hours before the LED lamp light output depreciates by 30 percent. This is generally referred to as the L70 measurement, *i.e.*, the number of hours of operation until the light output reaches 70 percent of initial light output.
- 44. In some cases, industry practice measures lighting products' LED lamp lifetime by calculating the number of hours before the LED lamp light output depreciates by 50 percent. This is generally referred to as the L50 measurement, *i.e.*, the number of hours of operation until the light output reaches 50 percent of initial light output.
- 45. The actual number of lifetime hours for the Defendants' CALiPER tested LED lamps using the L70 lumen depreciation measurement were:

23	<u>Model</u>	Lifetime Claim	CALiPER Tested L70
24		(in hours)	<u>Lifetime</u>
25			(in hours)
26	a. 2002LEDR30-65K	30,000	380
27	b. 2003LEDP38-65K	30,000	270
28	c. 2025LEDE12-30K	30,000	110

1	46.	The actu	al number of li	fetime hours for the	Defendants' CALiPER tes	ted
2		LED lamps using the L50 lumen depreciation measurement were:				
3		Model		Lifetime Claim	CALiPER Tested L50	

<u>Model</u>	<u>Lifetime Claim</u>	CALiPER Tested L50
	(in hours)	<u>Lifetime</u>
		(In hours)
a. 2002LEDR30-65K	30,000	600
b. 2003LEDP38-65K	30,000	435
c. 2025LEDE12-30K	30,000	230

- 47. The results in Paragraphs 45 and 46 demonstrate the falsity of Defendants' lifetime claims under either the L70 or L50 measurement.
- 48. The 2009 DOE CALiPER testing concluded that LOA's LED model:
  - a. 2002LEDR30-65K's light output depreciated approximately 70 percent from its initial light output after 1,000 hours;
  - b. 2003LEDP38-65K's light output depreciated approximately 78 percent from its initial light output after 1,000 hours; and
  - c. 2025LEDE12-30K's light output depreciated approximately 90 percent from its initial light output after 1,000 hours.
- 49. DOE characterized the light output depreciation identified in Paragraphs 45, 46, and 48, as "exceedingly poor long-term performance" and the results do "not appear typical across products on the market." See U.S. Dep't of Energy, CALiPER Summary Report, DOE Solid-State Lighting CALiPER Progam, Summary of Results: Round 9 of Product Testing at p. 28 (Oct. 2009).
- 50. DOE further noted that out of the fifteen LED lamp products tested to date, which included three LOA lamps and twelve from other manufacturers, the LOA lamps "are the only products which have exhibited light output falling below 95% of initial light output within the first 1000 hours." *Id*.
- 51. Defendants received numerous consumer complaints about the lifetime of

- many of their LED lamp models. Those complaints included, but are not limited to, complaints about the lifetime of the following models: 2002LEDR30-65K, 2003LEDP38-65K, 2004LEDDL, 2025LEDE12-30K, and 2026LEDE26-30K. Each of these models had at least in sales from February 2008 through August 2009.
- 52. In October 2009, LOA agreed to provide refunds to Costco customers who had purchased certain LED lamp models. In a letter sent to consumers at that time, LOA stated that it was providing refunds because of test results "indicating that the life rating on the package is incorrect and that the actual life of the product is less than that which is stated on the package."
- 53. Each of the models identified in Paragraph 51 continued to be sold after August 2009. Eleven months later, in August 2010, models 2002LEDR30-65K, 2003LEDP38-65K, 2004LEDDL, and 2025LEDE12-30K, were being sold on the Internet at Amazon.com with representations that they lasted 30,000 hours. Fourteen months later, in October 2010, models 2003LEDP38-65K, 2004LEDDL, and 2026LEDE26-30K were being sold on the Internet at Sam's Club with representations that they lasted 30,000 hours.

# ROLE OF THE INDIVIDUAL DEFENDANTS

#### Usman Vakil

- 54. Usman Vakil is an owner and officer of LOA. In this capacity, he has the authority to control the acts of LOA. At all times relevant to this Amended Complaint, acting individually or in concert with others, he has formulated, directed, controlled, had authority to control, or participated in the acts or practices set forth in this Amended Complaint and knew or should have known that the acts or practices described herein were deceptive.
- 55. Usman Vakil was involved in LOA's LED business since LOA started distributing the lamps to retailers. For example, on April 29, 2008, Usman

Vakil received an email from an LOA employee describing LOA's planned 1 distribution of LED lamps. In this email the employee also suggested that 2 an LOA employee attend a DOE EnergyStar Workshop regarding solid-3 state lighting. 4 5 56. In September 2008, Usman Vakil received from DOE the results of CALiPER tests conducted on three of Defendants' LED lamp models. 6 These tests determined the lamps' light output. The test results showed 7 8 that the watt equivalency representations that appeared on the lamps' packaging and in the product brochures were false or unsubstantiated. 9 57. In September 2008, Usman Vakil sent a letter to DOE in response. The 10 letter did not contest DOE's test results and acknowledged that DOE 11 12 evaluated some of Defendants' LED lamps. Usman Vakil's letter further stated that the Defendants' LED lamps were selling well at Walmart stores. 13 Usman Vakil sent a copy of the letter to the President of Walmart. 14 After September 2008, Defendants continued to make watt equivalency 15 58. claims for the models DOE tested. 16 On July 31, 2009, Usman Vakil received an email from an LOA employee 59. 17 discussing 18 In a separate email among LOA 19 employees, sent on July 31, 2009, a senior LOA employee stated that 20 21 22 After July 2009, Defendants continued to make watt equivalency claims 60. 23 for LED models that were false or unsubstantiated. 24 On August 9, 2009, Usman Vakil received an email from an LOA 25 61. employee discussing 26 27 28

and intentionally avoided the truth.

27

1 Faroog Vakil 69. Faroog Vakil is an owner and officer of LOA. In this capacity, he has the 2 authority to control the acts of LOA. At all times relevant to this Amended 3 Complaint, acting individually or in concert with others, he has formulated, 4 5 directed, controlled, had authority to control, or participated in the acts or 6 practices set forth in this Amended Complaint and knew or should have 7 known that the acts or practices described herein were deceptive. 8 70. Farooq Vakil was involved in LOA's LED business since LOA started distributing the lamps to retailers. For example, on April 29, 2008, Farooq 9 10 Vakil received an email from an LOA employee describing 11 12 13 14 71. On September 25, 2008, Farooq Vakil received an email that attached 15 Usman Vakil's response to a letter from James Brodrick of DOE regarding the September 2008 CALiPER test results. Usman Vakil's letter 16 acknowledged that DOE evaluated some of Defendants' LED lamps. 17 Usman Vakil's letter further stated that the Defendants' LED lamps were 18 selling well at Walmart stores. 19 On July 16, 2009, Farooq Vakil sent an email to numerous LOA 72. 20 employees stating that 21 22 23 On July 23, 2009, Farooq Vakil sent an email to certain LOA employees 73. 24 discussing 25 26 On July 28, 2009, Faroog Vakil sent an email to certain LOA employees 74. 27 requesting 28

1		
2	75.	On July 31, 2009, Farooq Vakil received an email from an LOA employee
3		discussing
. 4	·	
5	76.	On July 31, 2009, Farooq Vakil sent an email to various LOA employees
6		concerning
7		stated that LOA's LED lamp labels resembled DOE's energy facts label,
8		but had not been approved by DOE.
9	77.	On August 9, 2009, Farooq Vakil received an email from an LOA
10		employee discussing
11		
12	•	
13	78.	
14		
15		
16		
17	79.	On August 10, 2009, Farooq Vakil sent an email to various LOA
18		employees discussing
19		
20		
21		
22	80.	After August 2009, Defendants continued to make lifetime claims for their
23		LED lamps that were false or unsubstantiated.
24	81.	In a September 2009 email to James Brodrick at DOE, Farooq Vakil
25		discussed his direct involvement in developing the "replaces" watt
26		equivalency claims on Defendants' LED lamp packaging.
27	82.	As late as July 2009, seventeen months after Defendants began marketing
28		and selling LED lamps, a senior LOA employee sent Farooq Vakil an
		25

Case 8:10-cv-01333-JVS (M)G Document 42 Filed 02/08/11 Page 25 of 49 Page ID #:304

email discussing

- 83. As an owner and high ranking LOA corporate officer, Farooq Vakil failed to establish, implement, and maintain procedures to ensure that the claims for Defendants' LED lamps were true and substantiated prior to dissemination.
- 84. Farooq Vakil knew that the claims for Defendants' LED lamps were false or unsubstantiated, was recklessly indifferent to the truth or falsity of such claims, or was aware of a high probability that the claims were fraudulent and intentionally avoided the truth.

#### **DEFENDANTS' CFL LITIGATION**

- 85. Defendants are aware of the importance of light output and lifetime claims on product packaging for light bulbs.
- 86. Defendants have previously been involved in litigation involving light output and lifetime claims for their compact fluorescent lightbulbs ("CFLs").
- 87. Specifically, in June 2000, LOA sued Consumers Union in California state court due to a Consumer Reports magazine article stating that LOA's CFLs did not "provide as much light, nor do they last as long as the package claims." Complaint, Lights of America, Inc. v. I & I Group, Inc., Consumers Union of United States, Inc. et al., Case No. KC033419, 2000 CA Sup. Ct. Pleadings LEXIS 71 at \*17 (Cal. Sup. Ct., Los Angeles County, June 29, 2000).
- 88. Defendants sought to have Consumers Union retract its article. LOA's complaint was dismissed and the appeal denied.

б

#### **VIOLATIONS OF THE FTC ACT**

89. Section 5(a) of the FTC Act, 15 U.S.C. § 45(a), prohibits unfair or deceptive acts or practices in or affecting commerce. As set forth below, Defendants have engaged in unlawful practices in connection with the marketing and sale of LED lamps.

# FALSE OR UNSUBSTANTIATED CLAIMS IN VIOLATION OF SECTION 5 OF THE FTC ACT

#### Count I

- 90. Through the means described in Paragraphs 10-84 above, in connection with the advertising, marketing, promotion, offering for sale, sale, or distribution of LED lamps, Defendants have represented, expressly or by implication, that their LED lamps will provide light output equivalent to particular watt incandescent light bulbs.
- 91. The representations set forth in Paragraph 90 are false or were not substantiated at the time the representations were made. Therefore, the making of the representations set forth in Paragraph 90, above, constitutes a deceptive act or practice, in or affecting commerce, in violation of Section 5(a) of the FTC Act, 15 U.S.C. § 45(a).

#### Count II

- 92. Through the means described in Paragraphs 10-84 above, in connection with the advertising, marketing, promotion, offering for sale, sale, or distribution of LED lamps, Defendants have represented, expressly or by implication, that their LED lamps will provide a purported level of light output in lumens.
- 93. The representations set forth in Paragraph 92 are false or were not substantiated at the time the representations were made. Therefore, the making of the representations set forth in Paragraph 92, above, constitutes a deceptive act or practice, in or affecting commerce, in violation of

Section 5(a) of the FTC Act, 15 U.S.C. § 45(a).

#### Count III

- 94. Through the means described in Paragraphs 10-84 above, in connection with the advertising, marketing, promotion, offering for sale, sale, or distribution of LED lamps, Defendants have represented, expressly or by implication, that their LED lamps will last a specified number of hours.
- 95. The representations set forth in Paragraph 94 are false or were not substantiated at the time the representations were made. Therefore, the making of the representations set forth in Paragraph 94, above, constitutes a deceptive act or practice, in or affecting commerce, in violation of Section 5(a) of the FTC Act, 15 U.S.C. § 45(a).

#### **CONSUMER INJURY**


96. Consumers throughout the United States have suffered and continue to suffer substantial consumer injury as a result of Defendants' violations of the FTC Act. In addition, Defendants have been unjustly enriched as a result of their unlawful acts or practices. Absent injunctive relief by this Court, Defendants are likely to continue to injure consumers, reap unjust enrichment, and harm the public interest.


#### THIS COURT'S POWER TO GRANT RELIEF

97. Section 13(b) of the FTC Act, 15 U.S.C. § 53(b), empowers this Court to grant injunctive and such other relief as the Court may deem appropriate to halt and redress violations of any provision of law enforced by the FTC. The Court, in the exercise of equitable jurisdiction, may award ancillary relief, including rescission or reformation of contracts, restitution, the refund of monies paid, and the disgorgement of ill-gotten monies, to prevent and remedy any violation of any provision of law enforced by the FTC.

#### PRAYER FOR RELIEF 1 Wherefore, the FTC, pursuant to Section 13(b) of the FTC Act, 15 U.S.C. 2 98. § 53(b), and the Court's equitable powers, requests that the Court: 3 Enter a permanent injunction to prevent future violations of the FTC 4 a. Act by Defendants; 5 Award such relief as the Court finds necessary to redress injury to b. 6 consumers resulting from Defendants' violations of the FTC Act, 7 including but not limited to, rescission or reformation of contracts, 8 restitution, the refund of monies paid, and the disgorgement of ill-9 gotten monies; and 10 Award Plaintiff the costs of bringing this action, as well as such 11 c. other and additional relief as the Court may determine to be just and 12 13 proper. Respectfully submitted, 14 WILLARD K. TOM 15 General Counsel 16 Dated: 2/4/// 17 18 Federal Trade Commission Pemnsylvania Avenue, NW 19 Washington, DC 20580 20 (202) 326-3740 (tel.) (Spector) (202) 326-2426 (tel.) (Madden) 21 (202) 326-2558 (fax) rspector@ftc.gov, gmadden@ftc.gov 22 STACY PROCTER (Local Counsel) 23 Federal Trade Commission 10877 Wilshire Bouleyard, Suite 700 24 Los Angeles, CA 90024 (310) 824-4343 (tel.) 25 (310) 824-4380 (fax) sprocter@ftc.gov 26 27

**EXHIBIT 1** 





**EXHIBIT 2** 

2004: 9/16/09

FTC00131

EXHIBIT 3

Igghts of America.



# LED LIGHT BULES



# BROCHURE

INNOVATION . QUALITY . ENERGY SAVING

### THE LED EXPERIENCE

#### LED TECHNOLOGY

LED technology continues to develop rapidly as a general light source. As more LED products and light fixtures are introduced on the market, what do retailers, energy efficiency advocates, and consumers need to know to make informed buying decisions?

#### Are LEDs ready for general lighting?

The number of white light LED products available on the market continues to grow, including portable desk/task lights, recessed downlights, retail display lights, and outdoor fixtures for street, parking lot, path, and other area lighting. Some of these products perform very well, but the quality and energy efficiency of LED products still varies widely, for several reasons:

- 1. LED technology continues to change and evolve very quickly. New generations of LED devices become available approximately every 4 to 6 months.
- 2. Lighting fixture manufacturers face a learning curve in applying LEDs. Because they are sensitive to thermal and electrical conditions, LEDs must be carefully integrated into lighting fixtures. Few lighting fixture manufacturers are equipped to do this well today.
- 3. Important differences in LED technology compared to other light sources have created a gap in the industry standards and test procedures that underpin all product comparisons and ratings. New standards, test procedures, and ENERGY STAR criteria are coming soon. In the meantime, product comparison is a fairly laborious, one-at-a-time task.


#### Are LEDs energy-efficient?

The best white LED products can meet or exceed the efficiency of compact fluorescent lamps (CFLs). However, many white LEDs currently available in consumer products are only marginally more efficient than incandescent lamps. The best warm white LEDs available today can produce about 45-50 lumens per watt (lm/W). In comparison, incandescent lamps typically produce 12-15 lm/W: CFLs produce at least 50 lm/W. Performance of white LEDs continues to improve rapidly.


However, LED device efficacy doen't tell the whole story. Good LED system and luminaire design is imperative to energy-efficient LED lighting fixtures. For example, a new LED recessed downlight combines multicolored high efficiency LEDs, excellent thermal management, and sophisticated optical design to produce more than 700 lumens using only 12 watts, for a luminaire efficacy of 60 lm/W. Conversely, poorly-designed luminaires using even the best LEDs may be no more efficient than incandescent lighting.













36

Ex. 3

## THE LED EXPERIENCE

#### **Background**

What makes LEDs different from other light sources? LEDs are simiconductor devices, while incandescent, fluorescent, and high-intensity discharge (HID) lamps are all based on glass enclosures containing a filament or electrodes, with fill gases and coatings of various ypes.


LED lighting starts with a tiny chip (most commonly about 1 mm) comprising layers of semi-conducting material. LED packages may contain just one chip or multiple chips, mounted on heat-conducting material and usually enclosed in a lens or encapsulant. The resulting device, typically around 7 to 9 mm on a side, can produce 30 to 150 lumens each, and can be used separately or in arrays. LED devices are mounted on a circuit board and attached to a lighting fixture, architectural structure, or even a "light bulb" package.

#### **Cold temperature operation**


Cold temperatures present a challenge for fluorescent lamps. At low temperatures, highter voltage is required to start fluorescent lamps, and luminous flux is decreased. A non-amalgam CFL, for example, will drop to 50% of full light output a 0°C. The use of amalgam (an alloy of mercury and other metals, used to stabilize and control mercury pressure in the lamp) in CFLs largely addresses this oroblem, allowing the CFL to maintain light output over a wide temperature range (-17°C to 65°C). The trade-off is that amalgam lamps have a noticeably longer "run-up" time to full brightness, compared to non-amalgam lamps. In contrast, LED performance inherently increases as operating temperatures drop. This makes LEDs a natural fit for grocery store refrigerated and freezer cases, cold storage facilities, and outdoor applications. In fact, DOE testing of an LED refrigerated case light measured 5% higher efficacy at -5°C, compared to operation at 25°C.

#### Instant on


Fluorescent lamps, especially those containing amalgam, do not provide full brightness immediately upon being turned on. Fluorescents using amalgam can take three minutes or more to reach their full light output. HID lamps have longer warm up times, from several minutes for metal halide to 10 minutes or more for sodium lamps. HID lamps also have a "re-strike" time delay; if turned off they must be allowed to cool down before turning on again, usually for 10-20 minutes. Newer pulse-start HID ballasts provide faster restrike times of 2-8 minutes. LEDs, in contrast, come on at full brightness almost instantly, with no re-strike delay. This characteristic of LEDs is notable in vehicle brake lights, were they come on 170 to 200 milliseconds faster than standard ncandescent lamps, providing an estimated 19 feet of additional stopping distance at highway speeds (65mph). In general illumination applications, instant on can be desirable for safety and convenience.














### MR-16

#### **SPECIFICATIONS**

• WATTAGE: 1W

• INCANDESCENT CAMPARISON: 20W

• COLOR TEMP: 6500K

• BULB LIFE HOURS: 30,000

• HEAT FREE LED TECHNOLOGY

ARRAY

#### ITEM DESCRIPTION

LED MR-16 ACCENT BULB, INDOOR GUID

MODEL#

PCS/INNER

2001LED10-65K-24

UPC


# OF INNERS

755277-200102

12 DF 5

PCS/MASTER

10755277200109





#### MR-16

#### SPECIFICATIONS

• WATTAGE: 1W

• INCANDESCENT CAMPARISON: 20W

• COLOR TEMP: 6500K

• Bulb Life Hours: 30,000

• HEAT FREE LED TECHNOLOGY

• ARRAY

#### ITEM DESCRIPTION

LED MR-16 ACCENT BULB, OUTDOOR GUS.3

MDDEL#

PCS/INNER

2001LED530UT-65K-24 3

# OF INNERS

755277-200133


12 OF 5

PCS/MASTER


10755277200130

24









#### SPECIFICATIONS

MR-16

• WATTAGE: 1W

• INCANDESCENT CAMPARISON: 20W

• COLOR TEMP: 6500K

• BULB LIFE HOURS: 30,000

• HEAT FREE LED TECHNOLOGY

• ARRAY

#### ITEM DESCRIPTION

LED MR-16 ACCENT BULB, INDOOR GUS.3



MODEL#
2001LED53IN-65K-24
UPC
755277-200126
1 2 OF 5
10755277200123


PCS/INNER

# OF INNERS

8

PCS/MASTER

24



#### SPECIFICATIONS

MR-16

• WATTAGE: 1W

INCANDESCENT CAMPARISON: 20W

• COLOR TEMP: 6500K

• BULB LIFE HOURS: 30,000

• HEAT FREE LED TECHNOLOGY

• ARRAY

#### ITEM DESCRIPTION

LED MR-16 ACCENT BULB, INDOOR EZ6



MODEL#
2001LEDE26-65K-24
UPC
755277-200119
I 2 OF 5
10755277200116

PCS/INNER

# OF INNERS

B
PCS/MASTER

24

<u>Lights of America</u>.

# MROURYFRE

#### LLC LIGHT BULBS

#### Accent-Bulb

#### SPECIFICATIONS

- WATTAGE: 4W
- INCANDESCENT CAMPARISON: 45W
- COLOR TEMP: 3500K
- Buls Life Hours: 30,000
- HEAT FREE TECHNOLOGY

#### ITEM DESCRIPTION

LED ACCENT DOWNLIGHT BULB

Recessed • Track Lighting

MODEL#

2004LEDDL-35K-B

UPC

755277-200409

12 OF 5

10755277200406

PCS/INNER

3

# OF INNERS

8

PCS/MASTER

24



#### Check Register Bulb


#### SPECIFICATIONS

- WATTAGE: 4W
- INCANDESCENT CAMPARISON: 40W
- COLOR TEMP: 6500K
- Bule Life Hours: 30,000
- HEAT FREE TECHNOLOGY


#### ITEM DESCRIPTION

LED CHECK REGISTER BULB

• Model# 2004LEDCR-65K-12



Lights of America.



# Rew Cool Technology Service S

#### SPECIFICATIONS

PAR-30

- WATTAGE: 3.5W
- INCANDESCENT CAMPARISON: 45W
- COLOR TEMP: 3000K OR 6500K
- Bule Life Hours: 30,000
- HEAT FREE TECHNOLOGY

#### ITEM DESCRIPTION

LED PAR 30 ACCENT FLOOD - INDOOR/ OUTDOOR

#### 3000K

MODEL# 2002LEDP30-30K-8 <u>UPC</u> N/A I\_2 OF 5

N/A PCS/INNER


# OF INNERS

PCS/MASTER

#### 6500K

MODEL#
2002LEDP30-65K-8
UPC
755277-200201
L 2 0F 5
10755277200222
PCS/INNER
2
# OF INNERS

PCS/MASTER



# Mew Cool Technology!

#### SPECIFICATIONS

R-30

- WATTAGE: 3.5W
- INCANDESCENT CAMPARISON: 45W
- COLOR TEMP: 3000K OR 6500K
- Bulb Life Hours: 30,000
- HEAT FREE TECHNOLOGY

#### ITEM DESCRIPTION

LED R30 ACCENT BULB - INDOOR/OUTDOOR

#### 3000K

MODEL# 2002LEDR30-30K-8 <u>UFC</u> 755277-200218 1 Z OF 5 10755277200215 PCS/INNER

# OF INNERS

PCS/MASTER

#### 6500K

MODEL#
2002LEDR30-65K-8
UPC
755277-200218
I 2 OF 5
10755277200215
PCS/INNER
2
# OF INNERS
4
PCS/MASTER

Lights of America.

# PAR-38

#### SPECIFICATIONS

• WATTAGE: 5W

• INCANDESCENT CAMPARISON: 45W


COLOR TEMP: 3000K DR 6500K

Bulb Life Hours: 30,000

HEAT FREE TECHNOLOGY

#### ITEM DESCRIPTION

LED PAR 38 ACCENT FLOOD - INDOOR/OUTDOOR



MDDEL#

2003LEDP38-65K-8

UPC

755277-200300

12 OF 5

10755277200207

PCS/INNER

# OF INNERS

PCS/MASTER

В



#### Decor Flametip

#### SPECIFICATIONS

• WATTAGE: 1.5W

• INCANDESCENT COMPARISON: 40W

• COLOR TEMP: 3000K OR 6500K

• Bule Life Hours: 30,000

HEAT FREE TECHNOLOGY

#### ITEM DESCRIPTION

LED ACCENT CANDELABRA

#### 3000K

MODEL#

2025LEDE12-30K-24

UPC

755277-202502

12 OF 5

10755277202509

PCS/INNER

# OF INNERS

PCS/MASTER

Lights of America.



MODEL# 2025LEDE12-65K-24 UPC

755277-202519

12 DF 5


6500K

10755277202516

PCS/INNER

# DF INNERS


PCS/MASTER





Ex. 3

42



#### SPECIFICATIONS

Decor Flametip

• WATTAGE: 1.5W

Incandescent Camparison: 40W

COLOR TEMP: 3000K OR 6500K

• Bulb Life Hours: 30,000

• HEAT FREE TECHNOLOGY

#### ITEM DESCRIPTION

LED ACCENT CANDELABRA

3000K

MODEL# 2025LED-30K-24

<u>UPC</u>

755277-202571

<u>I 2 OF 5</u> 10755277202578

PCS/INNER

# OF INNERS

8

PCS/MASTER

24

6500K

<u>MODEL#</u> 2025LED-65K-24

<u>UPC</u>

755277-202588

12 OF 5

10755277202585


PCS/INNER

# OF INNERS

8

PCS/MASTER

24



#### SPECIFICATIONS

Accent Mini-Globe

• WATTAGE: 1.5W

• INCANDESCENT CAMPARISON: 4DW

COLOR TEMP: 3000K OR 6500K

• Bulb Life Hours: 30.000

• HEAT FREE TECHNOLOGY

#### ITEM DESCRIPTION

LED ACCENT MINI GLOBE

#### 3000K

MODEL# 2026LED-30K-24

UPC

755277-202670

12 OF 5

10755277202677

PCS/INNER

3

# OF INNERS

8

PCS/MASTER

24

#### 6500K

MDDEL# 2026LED-65K-24

UPC

755277202687

12 OF 5

10755277202684

PCS/INNER

3


# OF INNERS


B

PCS/MASTER

24

Lights of America.





<u>Lights of America</u>.

# 

1907 - The first known report of a light-emitting solid-state diode by H.J. Mid 20's - Oleg Viadimirovich Losev independently created the first LED. His researched material, though only distributed in Russian, Gorman and British scientific journals, was ignored.

1955 - Rubin Braunstien of the Radio Corporation of America reported on infrared emission from galitus arsenide (GaAs very important conductor used in LEDs) and other semiconductor alloys. 1962. The first Practical visiblespectrum fired LED was developed by Nick Holenyak Jr. He is seen as the "Father of the Light-Emitting Diode. Late 80's - Shuji Nakamura Invented the first high brightness Gan LED whose brilliant blue light, when partially converted to yellow by a phosphor coating, is the key to white LED lighting, and which went into production in 1993.

2008 - Lights of America Introduces first Décor LED Future - Lights of Americal introduces first dimmable LED light builds

Filed \*

02

Page

48 of 49

Page

₽

1900 | 1910 | 1920 | 1930 | 1940 | 1950 | 1960 | 1970 | 1980 | 1990 | 2000 | 2010

1961 - Bob Blard and Gary Pittmen, while working at Texas instruments, found that galillum arsenide gave off infrared redistion when electric current was applied. Blard and Pittman were able to establish the priority of their work and received the patent for the infrared light-emitting clode.

1972 - M. Georgo Craford, a former graduate student of Holonyak's invented the first yellow LED and 10X brighter red and red-orange 1005 - Alberto Barbieri Irreati gased the efficiency and reliability of high brightness LED detribostrating very high result by unity a transpersor contact made by indium to notice (ITO) on LED. The existence of the blue LED and high efficiency quickly carried to the first white LED, which exployed a phosphor coating to mix yellow (down converted) light with blue to prodice light that appears white.

2009 - Lights of America First Power LED used in track, racessed hoods and globe light bulbs

Lights of America.

ļχ. S

Ex. 3 FTC00167

